

## Certificate of Conformity of the Factory Production Control 1213–CPR–019

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product(s)

<b>O.C.-Plan® 1025, black</b>	2,5 mm
<b>O.C.-Plan® 3018, 3018 FR black</b>	1,8 mm
<b>O.C.-Plan® 3020, 3020 FR black</b>	2,0 mm
<b>O.C.-Plan® 3023, black</b>	2,3 mm
<b>O.C.-Plan® 3025, black</b>	2,5 mm
<b>O.C.-Plan® 3030, black</b>	3,0 mm
<b>O.C.-Plan® 4125, black</b>	2,0 mm
<b>O.C.-Plan® 4230, black</b>	2,0 mm
<b>O.C.-Plan® 5028 SK, black</b>	2,0 mm

Flexible sheets for waterproofing - Plastic sheets for roof waterproofing made of Ethylene Copolymer Bitumen (ECB) and flexible polyolefins (FPO) respectively

Type of application: Exposed or covered sheets (see application instructions in Technical Leaflets)

placed on the market under the name or trade mark of

**POLYFIN AG**  
Polyfinstraße 1  
74909 Meckesheim

and produced in the manufacturing plant(s)

**0015**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance (AVCP) described in Annex ZA of the standard(s)

**EN 13956:2012**

under system 2+ are applied and that

**the factory production control is assessed to be  
in conformity with the applicable requirements.**

This certificate was first issued on 2006-10-18 and will remain valid as long as neither the harmonised standard(s), the construction product(s), the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

Würzburg, 28 January 2019



i. V.

Dipl.-Ing. Helmut Zanzinger  
Certification Body

## Certificate of Conformity of the Factory Production Control 1213–CPR–019

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product(s)

Polyfin® 1020, Colour (et al. light grey, grey, black, red, green, blue, white)	2,0 mm
Polyfin® 3012, Colour (et al. light grey, grey, black, red, green, blue, white)	1,2 mm
Polyfin® 3015, Colour (et al. light grey, grey, black, red, green, blue, white)	1,5 mm
Polyfin® 3016, 3016 FR Colour (et al. light grey, grey, black, red, green, blue, white)	1,6 mm
Polyfin® 3018, 3018 FR Colour (et al. light grey, grey, black, red, green, blue, white)	1,8 mm
Polyfin® 3020, 3020 FR Colour (et al. light grey, grey, black, red, green, blue, white)	2,0 mm
Polyfin® 3020 PV	2,0 mm
Polyfin® 3023, Colour (et al. light grey, grey, black, red, green, blue, white)	2,3 mm
Polyfin® 3024, Colour (et al. light grey, grey, black, red, green, blue, white)	2,4 mm
Polyfin® 3025, Colour (et al. light grey, grey, black, red, green, blue, white)	2,5 mm
Polyfin® 3030, Colour (et al. light grey, grey, black, red, green, blue, white)	3,0 mm
Polyfin® 4121, Colour (et al. light grey, grey, black, red, green, blue, white)	1,6 mm
Polyfin® 4226, Colour (et al. light grey, grey, black, red, green, blue, white)	1,6 mm
Polyfin® 4226 FR, Colour (et al. light grey, grey, black, red, green, blue, white)	1,6 mm
Polyfin® 4228 FR, Colour (et al. light grey, grey, black, red, green, blue, white)	1,8 mm
Polyfin® 4230, Colour (et al. light grey, grey, black, red, green, blue, white)	2,0 mm
Polyfin® 4230 FR, Colour (et al. light grey, grey, black, red, green, blue, white)	2,0 mm
Polyfin® 5024 SK, Colour (et al. light grey, grey, black, red, green, blue, white)	1,6 mm
Polyfin® 5028 SK, Colour (et al. light grey, grey, black, red, green, blue, white)	2,0 mm

Flexible sheets for waterproofing - Plastic sheets for roof waterproofing made of Ethylene Copolymer Bitumen (ECB) and flexible polyolefins (FPO) respectively

Type of application: Exposed or covered sheets (see application instructions in Technical Leaflets)

placed on the market under the name or trade mark of

**POLYFIN AG**  
 Polyfinstraße 1  
 74909 Meckesheim

and produced in the manufacturing plant(s)

**0015**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance (AVCP) described in Annex ZA of the standard(s)

**EN 13956:2012**

under system 2+ are applied and that **the factory production control is assessed to be in conformity with the applicable requirements.**

This certificate was first issued on 2006-10-18 and will remain valid as long as neither the harmonised standard(s), the construction product(s), the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.



*(Handwritten signature)*  
 i. V.

Dipl.-Ing. Helmut Zanzinger  
 Certification Body

Würzburg, 28 January 2019

## Certificate of Conformity of the Factory Production Control 1213–CPR–019

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product(s)

<b>Polyfin® 4015 v</b>	1,5 mm
<b>Polyfin® 4016 v</b>	1,6 mm
<b>Polyfin® 4018 v</b>	1,8 mm
<b>Polyfin® 4020 v</b>	2,0 mm

Flexible sheets for waterproofing - Plastic sheets for roof waterproofing made of flexible polyolefins (FPO), reinforced with glass nonwoven and with fleece backing

Type of application: exposed (adhered and mechanically fastened) or covered sheets (gravel ballasted)

<b>Polyfin Duo® 3015</b>	1,5 mm
<b>Polyfin Duo® 3018 / 3018 rd</b>	1,8 mm
<b>Polyfin Duo® 3020 / 3020 rd</b>	2,0 mm
<b>Polyfin Duo® 3024</b>	2,4 mm
<b>Polyfin Duo® 3025</b>	2,5 mm

Flexible sheets for waterproofing - Plastic sheets for roof waterproofing made of flexible polyolefins (FPO), reinforced with glass nonwoven

Type of application: exposed (mechanically fastened) or covered sheets (gravel ballasted)

placed on the market under the name or trade mark of

**POLYFIN AG**  
Polyfinstraße 1  
74909 Meckesheim

and produced in the manufacturing plant(s)

**0015**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance (AVCP) described in Annex ZA of the standard(s)

**EN 13956:2012**

under system 2+ are applied and that

**the factory production control is assessed to be  
in conformity with the applicable requirements.**

This certificate was first issued on 2006-10-18 and will remain valid as long as neither the harmonised standard(s), the construction product(s), the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

Würzburg, 28 January 2019



i. V.

Dipl.-Ing. Helmut Zanzinger  
Certification Body

## Certificate of Conformity of the Factory Production Control 1213–CPR–019

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product(s)

**Polyfin Duo® 5018 SK** 1,8 mm

Flexible sheets for waterproofing - Plastic sheets for roof waterproofing made of flexible polyolefins (FPO), reinforced with glass nonwoven and fleece backing with self-adhesive coating

Type of application: exposed (adhered) or covered sheets (gravel ballasted)

**Polyfin Duo® 3015 GS** 1,5 mm

**Polyfin Duo® 3018 GS** 1,8 mm

**Polyfin Duo® 3020 GS** 2,0 mm

**Polyfin Duo® 3024 GS** 2,4 mm

**Polyfin Duo® 3025 GS** 2,5 mm

Flexible sheets for waterproofing - Plastic sheets for roof waterproofing made of flexible polyolefins (FPO), reinforced with glass nonwoven and polyester scrim

**Polyfin Duo® 3015 SC** 1,5 mm

**Polyfin Duo® 3018 SC** 1,8 mm

**Polyfin Duo® 3020 SC** 2,0 mm

Flexible sheets for waterproofing - Plastic sheets for roof waterproofing made of flexible polyolefins (FPO), reinforced with polyester scrim

Type of application: exposed (mechanically fastened) or covered sheets (gravel ballasted)

placed on the market under the name or trade mark of

**POLYFIN AG**

Polyfinstraße 1  
74909 Meckesheim

and produced in the manufacturing plant(s)

**0015**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance (AVCP) described in Annex ZA of the standard(s)

**EN 13956:2012**

under system 2+ are applied and that

**the factory production control is assessed to be  
in conformity with applicable requirements.**

This certificate was first issued on 2006-10-18 and will remain valid as long as neither the harmonised standard(s), the construction product(s), the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

Würzburg, 28 January 2019



I. V.   
Dipl.-Ing. Helmut Zanzinger  
Certification Body